

INDEX

Note: Page numbers in *italics* indicate figures.
Page numbers followed by a “t” indicate tables.

- Abdominal migraine, 63
- Abortive therapy. See also *specific medications*.
 - for cluster headaches, 122-128, 130t-131t
 - for migraines, 66-98, 70t-72t, 203
 - for tension-type headaches, 141-146
- Abscesses, 41-42, 154, 201-202
- Acephalic headache, 62, 63, 160
- Acetaminophen
 - during pregnancy, 179
 - for migraines, 72t, 93, 99, 164
 - for tension-type headaches, 139, 141
- Acetazolamide, 46
- Acetylcholine
 - in CSF, 125t
 - effects of antidepressants on, 144t-145t
- Addicting anxiolytic agents, 141
- Adolescents, headaches in, 156-157, 160-163. See also *Children, headaches in*.
- Adrenal deficiency, 45
- Advil Migraine, 99
- Alcohol
 - as headache trigger, 17t, 25, 61, 122
 - intolerance to, post-traumatic, 185
- Aleve. See *Naproxen sodium*.
- Allergies, 26
- Almotriptan (Axert), 70t, 89-91
 - adverse events, 91, 91t
 - chemical structure, 75
 - clinical pharmacology, 76t
 - probability of remedication, 78
 - response rate, 77t, 89-91
- α -Agonists, 102t, 109
- Altitude, as headache trigger, 13, 61
- Alzheimer's disease, misdiagnosis, 166
- Amerge. See *Naratriptan*.
- American Headache Society (AHS), xi
- Amitriptyline (Elavil), 102t, 143, 144t, 166
- Amnesia, 164, 185
- Analgesics
 - for chronic headaches, 206
 - for cluster headaches, 128
 - for coexisting migraine and tension-type headaches, 149
 - for emergency patients, 204t, 206
 - habituation and dependence issues, 141, 148, 165, 206-207
 - for migraines, 98-101, 158, 164
 - narcotics, 99-100, 195
 - over-the-counter. See *Over-the-counter analgesics*.

Analgesics (*continued*)
 for tension-type headaches, 15, 138-139, 141-143
 for TMJ disorder, 55

Anaprox. See *Naproxen sodium*.

Anemia, 196

Anesthesia, spinal, 32

Aneurysms, 30, 39, 40

Angina pectoris, 81, 103

Angiomas, 24

Antibiotics
 for brain abscess, 202
 for meningitis, 44, 155, 201
 for sinusitis, 154

Anticoagulants, 200t

Anticonvulsants
 diagnostic testing accompanying, 33
 for migraines, 102t, 104-107
 for neuralgias, 50-51, 51t

Antidepressants, 144t-145t
 for children, 162
 for cluster headaches, 135
 for coexisting migraines and tension-type headaches, 148-149
 during pregnancy, 180
 for elderly, 166-167
 for migraines, 102t, 109
 for neuralgias, 53, 54
 for tension-type headaches, 143-146, 162, 166-167

Antiemetics, 100, 158

Antiepileptic drugs. See *Anticonvulsants*.

Antihistamines, 180

Anxiety
 migraines linked to, 157
 post-traumatic, 187, 192
 premenstrual syndrome (PMS) and, 173
 sleep disturbances linked to, 25, 139
 tension-type headaches linked to, 14t, 15, 137, 139-140, 168t

Anxiolytic agents, nonaddicting, 141

Aphasia, 160

Appetite disturbances, 167t

Appetite loss, 107

Apresoline, 27, 165

Arteriovenous malformations (AVMs), 42-43, 159

Arteritis, 15, 46-49, 197
 headaches associated with, 14t, 15, 46-49, 163
 diagnostic features, 198t-199t
 subarachnoid hemorrhage from, 39

Aspirin
 with butalbital and caffeine (Fiorinal), 138-139
 for migraines, 97, 99, 102t, 108, 164
 monitoring use of, 164-165
 for premenstrual syndrome headaches, 178
 for tension-type headaches, 138-139, 141

Asthma, 103, 104, 159

Astigmatism, 155

Atenolol (Tenormin), 102t, 104

Atrioventricular conduction disturbances, 103

Auditory hallucinations, 62

Aura, 14t, 23-24, 55, 60, 62. See also *Migraine headaches*.
 in children, 158
 without headache (migraine equivalents), 62, 63, 160

Autogenic phrases, 112, 113t

Autonomic dysfunction, 189

AVMs. See *Arteriovenous malformations*.

Avoidance mechanism, 50

Axert. See *Almotriptan*.

Baclofen (Lioresal), 51, 51t

Bacterial infection, 41

Barbiturates, 93-94

Barometric pressure change, as migraine trigger, 25, 61

Basilar artery migraine, 14t, 62, 159-160

Bellergal-S, 130t

Benign intracranial hypertension (BIH), 45-46

Benzodiazepines, 141, 148

β -Blockers
 for elderly, 165
 electrocardiogram (ECG) and, 33
 for migraines, 101-103, 102t, 165
 for neuralgias, 53

BIH. See *Benign intracranial hypertension*.

Biofeedback
 for children, 162
 for migraines, 108-110, 111-113, 113t, 114t-115t
 for neuralgias, 53
 for post-traumatic headaches, 192
 for pregnant patients, 179
 for tension-type headaches, 146, 162

Blind spots, 157

Blindness
 post-traumatic, 189, 191
 temporal arteritis and, 197, 202

Blocadren (timolol), 102t

Blood chemistries, 33, 197

Blood count (CBC), 33, 41, 196

Blood dyscrasia, 39, 40

Blood pressure, in hypertensive headache, 203

Blotching of skin on chest, 28

Blurred vision
 as migraine symptom, 24, 124t
 as post-traumatic headache symptom, 190

Botox (botulinum toxin), 110, 146

Botulinum toxin (Botox), 110

Brain abscess, 41-42, 154, 201-202

Brain lesions. See *Brain tumors; Intracranial lesions; Mass lesion headaches*.

Brain stem
 activity in migraines, 67
 dysfunction, post-traumatic, 189

Brain stem (*continued*)
embarrassment, 42
lesions, diagnosing, 32
Brain tumors as headache cause, 15, 201
in children, 156
diagnosing, 31, 32
in elderly, 163
in emergency patients, 201
Breast cancer, risk of, 181, 182
Breast-feeding (lactation), 174, 181
Breast tenderness, in premenstrual syndrome (PMS), 173
Breathing exercises, 66
Bromocriptine, 179
Bupropion, 143, 144t, 166
Buspirone, 141
Butalbital
acetaminophen and caffeine with (Fioricet, Esgic), 139
acetaminophen with (Phrenilin), 139
aspirin and caffeine with (Fiorinal), 138-139
Butorphanol, transnasal (Stadol), 100-101, 128, 179-180, 203

Cafergot, 71t, 95, 131t
Caffeine
caffeine-withdrawal headaches, 143, 148
in combination formulations
in analgesics (Excedrin Migraine), 98, 99
for cluster headaches (Cafergot), 131t
for migraines (Cafergot, Ergostat), 71t, 95
for tension-type headaches (Fiorinal, Fioricet, Esgic), 139, 141
contraindication for, 143
as trigger for migraines, 61, 63
Calan. *See Verapamil.*
Calcitonin gene-related protein (CGRP), 138
Calcium channel blockers
for cluster headaches, 129-132, 130t
for coexisting migraine and tension-type headaches, 149
combined with tricyclic antidepressants, 149
for migraines, 102t, 107-108, 165
Cancer
prior history of, 35
risk of, 181, 182
Capsaicin, 128
Carbamazepine (Tegretol), 50, 51t
Cardiac arrhythmias, 164
Cardiac ischemia, 83
Cardiovascular disease, 164
Cardiovascular events, oral contraceptives and, 182
Cardizem (diltiazem), 104
Carotic cavernous sinus fistulas, 191
Carotid artery, traumatic dissection of, 191
Catapres-TTS (clonidine), 102t, 109
Catecholamine release, 203
CBC (complete blood count), 33, 41, 196
Celebrex. *See Celecoxib.*

Celecoxib (Celebrex)
for migraine abortive therapy, 72t
for migraine pain relief, 99
for migraine prophylaxis, 103t, 108
Central sensitization mechanism, 74, 146-147
Cerebellar hemorrhage, 14t, 15, 200t
Cerebellar herniation, 197
Cerebral abscess, 200t
Cerebral cortical atrophy, 31
Cerebral edema, 15, 41
Cerebral hemorrhage, 14t, 15, 39, 200t. *See also Hematomas; Subarachnoid hemorrhage.*
Cerebral ventricle enlargement, 31
Cerebrospinal fluid (CSF)
acetylcholine in, cluster headaches and, 125t
emergency patient evaluation, 197
low CSF-pressure headache, 35, 44-45
post-traumatic evaluation, 185
rhinorrhea, 45
Cerebrovascular events, 74
Cervical collar, 192
Cervical neck, sprain of, 188, 190-191
Cervical osteoarthritis, 14t
Cervical spine x-rays, 191
CGRP, 138
Chest x-ray, 41
Child abuse, 156
Children, headaches in, 63, 153-163
classification, 153
cluster headaches, 161
diagnosis and causes, 154-157
frequency, 153, 158, 161
head trauma, 189
headache history, 153-154
meningitis in, 201
migraines, 153, 157-161, 162-163, 189
acephalic variants, 160
basilar artery, 159-160
complicated migraine, 159-160
symptoms and prodromata, 157-158
treatment, 158-159
triggers, 157-158
school issues associated with, 162-163
tension-type headaches, 153, 161-162
Chlorphenesin (Maolate), 51, 51t, 55
Chlorpromazine (Thorazine), 71t, 98, 100
in emergency treatment, 204t, 205t
Chocolate, 64t, 158
Choked discs, 38
Chronic anxiety states, 14t
Chronic headaches
cluster, 121, 129-133
coexisting migraine and tension-type, 146-149
diagnostic tests, 31

- Chronic headaches (*continued*)
 in emergency patients, 206-207
 tension-type, 14-15, 14t, 139-141
 diagnosis, 16t-17t
 in elderly, 166-167
 emergency treatment for, 195-196
 treatment for, 129-133, 195-196
 calcium channel blockers, 129-132, 130t
 lithium carbonate, 129, 130t
 narcotic analgesics, avoidance of, 195-196
- Chronic myositis, 14t
- Chronic obstructive lung disease, 103
- Chronic otitis, 157
- Chronic paroxysmal hemicrania (CPH), 133-134
- Chronic subdural hematomas, 31
- Ciliary neuralgia. *See Cluster headaches.*
- Classification of headaches, 13-17, 14t
- Clomipramine, 144t
- Clonidine (Catapres-TTS), 102t, 109
- Closed-head injury. *See Head trauma; Post-traumatic headache.*
- Cluster headaches, 121-136
 associated symptoms, 17t, 121, 198t
 characteristics and symptoms, 16t-17t, 24, 121-122, 124t-125t
 in children, 161
 chronic, 121, 129-133
 classification, 13, 14t
 compared to migraines, 124t-125t
 defined, 121
 diagnosis, 16t-17t, 19-34, 198t-199t
 duration, 23, 122, 124t, 198t
 in elderly, 165-166
 in emergency patients, 206
 episodic vs chronic, 121
 frequency, 22, 124t, 134
 gender prevalence, 122, 124t, 161
 hereditary history and, 122, 124t
 Horner's syndrome and, 17t, 24, 28
 onset, age at, 22, 122, 124t
 pain severity and character, 23, 122, 124t, 134, 198t
 post-traumatic, 189
 seasonal relationship, 26, 122, 124t
 site of, 23, 134, 198t
 sleep pattern and, 25
 treatment for, 122-135, 130t-131t
 abortive therapy, 122-128, 130t-131t
 algorithm/flow chart, 126-127
 antidepressants, 135
 indomethacin, 134, 135
 pain relief, 128
 prophylactic therapy, 128-133, 130t
 surgical intervention, 133
 triggers, 17t, 25, 122
 types of, 121-122, 133-135
 chronic paroxysmal hemicrania, 133-134
 cluster headache variant (hemicrania continua), 134-135
- Cocaine hydrochloride, intranasal, 128, 130t
- Codeine, 100, 139
- Coexisting migraine and tension-type headaches, 146-149
 inpatient setting treatment for, 149, 150t
- Cognitive difficulties, 39, 40, 166
- Coitus, onset of pain with, 30, 30t
- Cola beverages, 158
- Cold packs, 101
- Coma, 200t
- Compazine. *See Prochlorperazine.*
- Compensated aqueductal stenosis, 156
- Complete blood count (CBC), 33, 41, 196
- Complicated hemiplegic headache, 14t
- Complicated migraine, 62, 159-160
- Computed tomography. *See CT (computed tomography) scanning.*
- Confusion, 39, 40
- Congestive heart failure, 103
- Conjunctival injection, 28, 121
- Consciousness
 altered, 160, 201
 loss of, post-traumatic, 185
- Constipation, 167t
- Continuity of care, 149
- Conversion reactions, 14t
- Coordination tests, 29
- Coping strategies, 66
- Corgard (nadolol), 102t, 104
- Coronary artery disease, 81
- Corpus callosum, hematoma of, 191
- Corticosteroids
 for cluster headaches, 128-129, 130t
 for intracranial arteritis, 48-49
 intracranial hypertension and, 45
 for menstrual migraine, 178
 for migraines, 111, 166, 203
- Coughing, onset of pain with, 30, 30t
- COX₂ inhibitors, in migraine treatment
 as abortive therapy, 97
 for pain relief, 99
 as prophylactic therapy, 103t, 108
- CPH (chronic paroxysmal hemicrania), 133-134
- Cranial arteritis, 15, 35, 46-49, 197, 198t-199t
- Cranial bruits, 40
- Cranial nerves
 second (optic), 48, 191
 third (oculomotor), 40
 fifth (trigeminal), 49-52, 57, 58, 59
 sixth (abducens), 156, 157
 seventh (facial), 189
 ninth (glossopharyngeal), 52, 189
- Cranial neuralgia, 14t, 15
- Craniopharyngiomas, 37
- CSF. *See Cerebrospinal fluid.*

CT (computed tomography) scanning, 31
 in AVM diagnosis, 43
 in brain abscess diagnosis, 41, 202
 for children with recent-onset headaches, 154
 criteria for ordering, 200t
 of emergency patients, 197
 indications/guidelines for, 30, 30t, 31
 of trauma patients, 191
Cutaneous allodynia, 58-60, 59, 74, 77, 147
 patient education about, 77-80
Cyclooxygenase (COX₂) inhibitors. See *COX₂ inhibitors*.
Cyproheptadine (Periactin), 103t, 110, 159, 160

Decadron (dexamethasone), 178, 205t
Decadron-LA (dexamethasone long-acting), 203, 205t
Decongestants, 155
Dehydration, 150t, 180, 196
Demerol (meperidine), 100
Demyelinating plaques, 31
Depakote, Depakote ER (divalproex sodium), 102t, 104-105
Dependency problems
 with analgesics, 141, 148, 165, 206-207
 with benzodiazepines, 141, 148
Depo-estradiol cypionate, 181
Depo-medroxyprogesterone acetate, 178
Depression
 in elderly, 168-169
 family history of, 26
 post-traumatic, 188
 in postherpetic neuralgia patients, 54
 in pregnant patients, 173
 as premenstrual syndrome (PMS) symptom, 173
 sleep disturbances in, 140
 tension-type headaches and, 14t, 15, 26, 137, 139, 143
Depressive equivalents, 14t
Desipramine, 143, 144t
Dexamethasone (Decadron), 178, 205t
Dexamethasone long-acting (Decadron-LA), 203, 205t
DHE. See *Dihydroergotamine*.
DHE 45. See *Dihydroergotamine mesylate*.
Diabetes, 81
Diagnosis of headache, ix-x, 19-34. See also *Headache history*:
 coexisting migraine and tension-type, 146-147
 diagnostic guide, 16t-17t
 differential diagnosis, 20-21
 in emergency treatment, 195-207, 198t-199t
 history, 19-27
 physical, neurologic, and diagnostic workup, 27-33
Diagnostic testing, 29. See also *specific tests*:
 in emergency patients, 196-197
Diamond Headache Clinic, 107, 132, 149, 150t
Diarrhea, as anticonvulsant side-effect, 107
Dichloralphenazone, 72t, 93
Diet, recommended for migraine patients, 63, 64t-65t

Differential diagnosis, 20-21
Dihydroergotamine (DHE, Migranal), 96-97
 for cluster headaches, 123, 130t-131t, 206
 for migraines, 71t, 96-97
 in combination with metoclopramide, 111, 203
 in emergency patients, 203, 205t
 menstrual migraine, 177
Dihydroergotamine mesylate (DHE 45), 71t, 95-96
 in emergency treatment, 204t, 205t
Dilantin (phenytoin), 51, 51t
Diltiazem (Cardizem), 104
Diplopia, 48
Discs
 choked, 38
 disease, headache and, 188
 intervertebral, herniated, 32
Diuretics, 157
Divalproex sodium (Depakote, Depakote ER), 102t, 104-105
Dizziness. See also *Vertigo*:
 as migraine symptom, 24
 post-traumatic, 185
 in tension-type headache patients, 167t
Dolophine (methadone), 100
Dopamine, effects of antidepressants on, 144t-145t
Dopamine (D₂)-receptor agonists, 179
Double vision, 24
Doxepin, 143, 144t, 166
Doxepin (Sinequan), 102t
Drowsiness, 38, 51t. See also *Sleep disturbance*.
Drugs
 habituation and dependence, 141, 148, 168, 206-207
 headache history and, 27
 as headache triggers, 25, 27, 61, 157
 interactions, 165, 166
 street drugs, basilar artery migraine and, 160
Duration of headaches, 16t, 23. See also *specific headache type*.
Dysautonomic cephalalgia, traumatic, 187, 190
Dysmenorrhea, 175, 178
Dyspnea, 167t

Ear
 diseases, headache and, 14t
 examination, 28
 infections, brain abscess and, 42, 201, 202
 otitis, chronic, 157
ECG. See *Electrocardiogram*.
Edema, 14t, 15, 31
EEG. See *Electroencephalogram*.
Elavil. See *Amitriptyline*.
Elderly, 163-169
 drug sensitivities/interaction in, 164-165
 headaches in, 163-169
 cluster headaches, 165-166
 emotional complaints, 168t

- Elderly, headaches in (*continued*)
 as manifestation of other serious illness, 163
 migraine equivalents, 164
 migraines, 163-165
 onset of, 163
 organic headaches, 167-168
 psychic complaints, 168t
 somatic complaints, 167t
 tension-type headaches, 166-167
 neuralgias in, 53
 patient compliance, 169
 physician role with, 168-169
 subdural hematoma in, 39
- Electrocardiogram (ECG), 33, 81
- Electroencephalogram (EEG), 33, 41, 154
- Electrolyte loss, 196
- Electromyographic (EMG) biofeedback, 112-113, 114t-115t, 146
- Eletriptan (Relpax), 70t, 92-95
 adverse events, 92-93, 94t
 chemical structure, 75
 clinical pharmacology, 76t
 probability of remedication, 78
 response rate, 77t, 92
- Emergency treatment of headache, 195-208
 classification, 195
 diagnosis, 195-207, 198t-199t
 diagnostic testing, 196-197
 essential points, 196-197, 207
 lumbar puncture, 197
 neuroimaging, 197, 201
 headache history, 195-196
 headache type
 brain abscess, 201-202
 brain tumor, 201
 chronic, 206-207
 cluster, 206
 hypertensive, 202-203
 meningitis, 198t-199t, 200-201
 migraine, 197, 198t-199t, 203-206
 organic causes, ruling out, 195, 202
 subarachnoid hemorrhage, 197-200, 198t-199t
 treatment, 195, 204t-205t
- EMG biofeedback, 112-113, 114t-115t, 146
- Emotional factors in headaches, 26, 137, 140, 161
- Emotional symptoms
 in elderly, 168t
 in premenstrual syndrome (PMS), 173
- Encephalitis, 155
- Endometrial carcinoma, risk of, 181
- Endometriosis, 178
- Ensam (Selegiline), 102t
- Epidural abscess, 42, 202
- Epidural hematoma, 39
- Episodic headaches
 cluster, 181
 tension-type, 14-15, 138-141
- Ergomar, 95
- Ergostat. See *Ergotamine; Ergotamine tartrate.*
- Ergotamine (Ergostat), 95-96, 131t
 cautions in elderly, 164, 166
 combination agents, for menstrual migraine, 179
 contraindications for, 179
 rebound headaches, 148
- Ergotamine tartrate, 95-97
 with caffeine (Cafergot), 71t, 95, 131t
 for cluster headaches, 128, 130t-131t
 contraindications and cautions, 95
 for migraines, 71t, 95-97
 with phenobarbital and Bellafoline (Bellergal-S), 130t
- Erythrocyte sedimentation rate, 33, 47, 154, 167-168, 197, 202
- Esgic (acetaminophen with butalbital and caffeine), 139
- Eskalith (lithium carbonate), 129, 130t
- Estradiol, 177, 181
- Estrogen, 171-174, 182. See also *Oral contraceptives.*
 replacement therapy, 174, 178, 181-182
 risk and decision factors in use of, 181-182
- Ethinyl estradiol, 181
- Etiology of headaches, 13-17
- Evoked potentials, 185
- Excedrin Migraine, 99
- Exertional headache
 in children, 155-156, 157
 in emergency department treatment, 196, 201
 organic causes, 25, 30, 36
- Extracerebral allodynia, 58, 59. See also *Cutaneous allodynia.*
- Extracerebral vasculature, 189
- Extrapyramidal syndrome, 164
- Eye
 diseases, headache and, 14t
 examination, 28, 155
 strain, 155
 symptoms. See *Visual symptoms.*
- Face
 examination, 28
 trigger points/zones on, 28, 49-50
- Facial flushing, 24
- Facial injury, 189-190, 191
- Facial nerve, 189
- Facial pain, atypical, 14t, 53
- Facial pallor, 53, 62, 158
- Facial weakness, 160
- Family counseling, 162
- Family history, 26. See also *Headache history.*
- Family history of headaches
 cluster headaches, 122, 124t
 migraines, 26, 60, 62, 124t, 147, 173
 tension-type headaches, 138

- Fasting as headache trigger, 61, 63
- Fatigue
 - in migraine patients, as premonitory symptom, 158
 - post-traumatic, 187
 - as premenstrual syndrome (PMS) symptom, 173
 - in tension-type headache patients, 137, 140, 167t
- Febrile headache, 154
- Females. See *Women, headaches in.*
- Fenopropfen calcium (Nalfon), 103t, 108, 111, 175
- Fever
 - in brain abscess, 42, 202
 - in cranial arteritis, 48
 - in headache diagnosis, 28
 - as headache trigger, 13
 - in intracranial infection/meningitis, 43, 155, 201
- Fibromyalgia, 149
- Finger-to-nose test, 29
- Fioricet (acetaminophen with butalbital and caffeine), 139
- Fioricet with Codeine, 139
- Fiorinal (aspirin with butalbital and caffeine), 138-139
- Fluid retention, as premenstrual symptom, 173
- Fluoxetine, 143, 144t, 166
- Flushing, 24, 53
- Fluvoxamine, 143, 144t
- Folic acid, 105
- Follicle-stimulating hormone (FSH), 172
- Food
 - additives as headache trigger, 17t
 - cravings, in premenstrual syndrome, 173
 - as headache trigger, 13, 25, 61, 63, 158
- Footballer's migraine, 188
- Forehead allodynia, 59
- Fortification spectrum, 24
- Frequency of headaches, 16t-17t, 22. See also *specific headache type.*
- Frova. See *Frovatriptan.*
- Frovatriptan (Frova), 70t, 92
 - adverse events, 92, 93t
 - chemical structure, 75
 - clinical pharmacology, 76t
 - for menstrual migraine, 176-177
 - probability of remedication, 78
 - response rate, 77t, 92
- Fundus, evaluation of, 196
- Fungal infection, 41
- Gait evaluation, 29
- Gasserian ganglion, 53
- Gender. See also *Males, headaches in; Menstrual headaches; Women, headaches in.*
 - chronic paroxysmal hemicrania and, 134
 - cluster headaches and, 122, 124t, 161
 - comparison of headache types, 17t
 - migraines and, 17t, 60, 124t, 153, 157
 - tension-type headaches and, 17t, 137
- GI complications, 165
- Giant cell arteritis, 46-49, 198t-199t
- Giddiness, 46, 187
- Glasgow coma scale, 200t
- Glaucoma, 28
- Gliomas, 37
- Glossopharyngeal neuralgia, 52, 189
- Glycerol injections, 51-52, 52t, 133
- Gonadotropin-releasing hormone (GnRH), 172
- Habituation potential of medications, 141, 148, 168, 206-207
- Haemophilus influenzae*, 201
- Head examination, 28. See also *Neurologic examination.*
- Head tapping, 39
- Head trauma, 185, 186-187. See also *Post-traumatic headache.*
 - in children, 156, 157
 - CT scan for, 200t
 - in emergency patients, 200t
 - hematomas in, 37-38
 - history of, 26
 - migraines and, 157
 - neck injuries, 188, 190-191
 - post-traumatic headache, 185-194
 - subarachnoid hemorrhage after, 39
- Headache history, 15, 19-27. See also *Family history of headaches.*
 - of children, 153-154
 - diagnostic guide, 16t-17t
 - of emergency patients, 195-196
 - familial (hereditary) history. See *Family history of headaches.*
 - family history, 26
 - onset, age at, 16t, 22
 - onset, recent. See *Recent-onset headaches.*
 - organic headaches, 35-36, 48, 50
 - tension-type headache, 139-141
 - types of headaches, 19
- Health-related quality of life (HRQoL), 106
- Heart disease, 83, 96
- Heel-to-shin test, 29
- Hematomas, 37-39
 - of corpus callosum, post-traumatic, 191
 - epidural, 39
 - headaches associated with, 14t, 15, 37-39
 - subdural, 37-39, 156, 163, 198t-199t
- Hemicrania continua (cluster headache variant), 134-135
- Hemiparesis, 38, 189
- Hemiplegic headaches, complicated, 14t
- Hemiplegic migraine, 62, 159
- Hemorrhage
 - cerebellar, 14t, 15, 200t
 - cerebral, 14t, 15, 39, 200t
 - subarachnoid, 30t, 39-40
- Hereditary history. See *Family history of headaches.*
- Herniated intervertebral discs, 32
- Herpes zoster, neuralgia associated with, 53-54

Hiccups, 42
 Histamine, in cluster headaches, 125t, 132-133
 Histamine desensitization, 132-133
 Histaminic cephalgia. See *Cluster headaches*.
 History, family. See *Family history; Family history of headaches*.
 History, medical/surgical/obstetric, 26
 History of headaches. See *Headache history*.
 Hormone fluctuations as headache trigger, 171-174
 Hormone replacement therapy (HRT), 174, 178, 181-182
 Horner's syndrome, cluster headaches and, 17t, 24, 28, 121
 Horton's headache. See *Cluster headaches*.
 Hospitalization for headache, 148-149, 150t
 5-HT (5-hydroxytryptamine). See *Serotonin*.
 Hydrocephalus, 31, 45, 156
 post-traumatic, 191
 Hyperalgesia, 58, 147
 Hypercholesterolemia, 81
 Hypertension
 intracranial, 45-46
 in migraine patients, 103, 165
 Hypertensive headaches, 14, 14t
 blood pressure in, 28
 diagnostic features, 198t-199t, 203
 in emergency patients, 202-203
 sleep pattern and, 25-26
 Hypochondriasis, 188
 Hypoglycemics, oral, 103
 Hypoparathyroidism, 45
 Hypophysial adenomas, 37
 Hypotension, intracranial, 45
 Hypothyroidism, 33
 Hypoxia-related vascular headache, 196
 Hysteria, post-traumatic, 188

Ibuprofen (Motrin), 97, 98, 141, 164
 in emergency treatment, 204t
 Imagery, 112
 Imipramine, 143, 144t
 Imitrex. See *Sumatriptan*.
 Immunosuppressive therapy, 201
 Indecisiveness, 168t
 Inderal, Inderal LA (Propranolol), 102t, 103, 159
 Indomethacin, 25, 27, 61
 for cluster headaches, 134, 135
 as headache trigger, 165
 Infants, tetracycline administration in, 45
 Infections, 22, 41, 43-44, 202. See also *Brain abscess*.
 brain abscess from, 41
 in children, history of, 154
 complete blood count in diagnosis of, 41, 196
 fever as sign of, 28
 intracranial, 32
 meningitis, 43-44
 organic headaches and, 43-44
 systemic, 28

Inflammation, 35
 cranial arteritis, 46-49
 meningitis and, 43
 perivascular neurogenic, 147
 Inflammatory headaches, 14t, 15, 35-36. See also *Organic headaches*.
 Inpatient settings, 148-149, 150t
 Insecticides, 45
 Insulin, concomitant therapy with, 103
 Intermittent headaches, 36, 46, 74
 International Headache Society (IHS)
 headache classification, 13
 headache definitions
 cluster headache, 121
 migraine, 57
 migraine equivalents, 63
 post-traumatic headache, 185
 tension-type headache, 137-138
 Intracerebral hemorrhage, 39, 200t
 Intracranial hypersensitivity, preventing, 74
 Intracranial hypotension, 45
 Intracranial infection, 32
 Intracranial lesions, 35-36, 156
 Intracranial pressure, increases in, 45-46, 156-157, 197, 200t, 201
 Intracranial tumor, 39
 Intracranial vascular malformation, 40
 Intrinsic sympathomimetic activity (ISA), 101
 Irritability
 associated with migraines, 62, 158
 associated with post-traumatic headaches, 186
 ISA. See *Intrinsic sympathomimetic activity*.
 Isocarboxid, 146
 Isometheptene mucate, 97, 164
 cautions for, 164
 with dichloralphenazone and acetaminophen (Midrin), 72t, 93
 in elderly, 164
 Isoptin. See *Verapamil*.

Jaw injury, 189-190
 Joint crepitus, 54
 Joint pain
 in cranial arteritis, 48
 in premenstrual syndrome (PMS), 173

Kernig's sign, 40
 Ketoprofen (Orudis), 98, 103t, 108, 141
 in emergency treatment, 204t
 Ketorolac (Toradol), 99, 203, 204t
 Kunkle, Charles, 121

Lacrimation, 24, 28, 121, 125t
 Lactation, 174, 181
 Lesions. See *Intracranial lesions; Mass lesion headaches; Vascular lesions*.
 Lethargy, 155
 Leukocytosis, 41, 202

Lidocaine, intranasal (Xylocaine)
 for cluster headaches, 123, 131t
 for migraines, 72t, 98

Light-headedness, 187

Lioresal (baclofen), 51t

Lithium, 33, 166

Lithium carbonate (Eskalith, Lithobid), 129, 130t

Lithobid (lithium carbonate), 129, 130t

Liver abnormalities, determining, 197

Lopressor (metoprolol), 102t, 104

Low CSF-pressure headache, 44-45

Lumbar puncture, 32
 of emergency patients, 197
 in meningitis diagnosis, 43
 postpuncture headache, 44
 in pseudotumor cerebri diagnosis, 157

Luteinizing hormone (LH), 172

Lymphoma, 43

Lyrica (pregabalin), 149

Macroencephaly, 156

Magnetic resonance angiography (MRA), 29, 30, 32

Magnetic resonance imaging (MRI), 30, 30t, 31-32
 in brain abscess diagnosis, 41
 for children with recent-onset headaches, 154
 in methysergide monitoring, 110
 for trauma patients, 191

Magnetic resonance venography, 29, 30t, 32

Malaise, 158, 187

Males, headaches in, 17t, 122, 124t, 161

MAOIs. See *Monoamine oxidase inhibitors*.

Maolate (chlorphenesin), 51, 51t

Maprotiline, 143, 144t

Mass lesion headaches, 14t, 15, 16t-17t

Maxalt. See *Rizatriptan*.

Maxalt-MLT. See *Rizatriptan*.

Meal schedule, maintaining regular, 63

Medical history, 26

Medications. See also *Drugs*.
 in headache history, 27
 as headache triggers, 25, 27, 61, 157

Medrol (methylprednisolone), 129, 130t, 178

Mefenamic acid (Ponstel), 111, 175

Memory difficulties, 140, 166, 168t, 173

Menarche, 171

Meniere's disease, 55

Meningeal blood vessels, 57

Meningiomas, 37

Meningismus, 44, 200

Meningitis, 43-44, 155
 causative agents, 201
 chemical, subarachnoid hemorrhage and, 40
 diagnosing, 28, 198t-199t
 in emergency patients, 197, 200-201
 treatment for, 44, 201

Menopause, 164, 174
 headaches during, 22, 164, 174
 treatment, 181-182
 postmenopausal hormone medications, 27, 61
 postmenopausal migraines, 171, 174

Menstrual changes in tension-type headache patients, 167t

Menstrual dysfunction, 45

Menstrual headaches, 171-172
 menarche, onset at, 171
 menses as headache trigger, 13, 14t, 17t, 61, 158, 171-172
 migraines, 62, 111, 171, 172
 treatment for, 175-178
 premenstrual headaches, 172-173

Menstrual irregularity, 157

Meperidine (Demerol), 100

Methadone (Dolophine), 100

Methylprednisolone (Medrol), 129, 130t, 178

Methysergide (Sansert), 110, 128, 130t, 166

Methysergide maleate (Sansert), 130t

Metoclopramide (Reglan), 100, 111, 164
 in emergency treatment, 203, 204t

Metoprolol (Lopressor, Toprol), 102t, 104

Microsurgical decompression of trigeminal root, 51-52, 52t

Midrin (isometheptene mucate with dichloralphenazone and acetaminophen), 72t, 97

Migraine equivalents, 62, 63

Migraine headaches, 57-119
 associated symptoms, 17t, 57, 61-63, 198t
 basilar artery migraine, 14t, 62, 159-160
 central sensitization in, 74, 146-147
 characteristics and symptoms, 16t-17t, 24, 57-60, 60, 124t-125t, 157
 in children, 153, 157-161, 162-163
 classification, 13, 14t
 coexisting tension-type headaches with, 146-149, 172-173
 compared to cluster headaches, 124t-125t
 complicated, 62, 159-160
 CT scanning during/for, 31
 cutaneous allodynia in, 58-60, 59, 74, 77-80
 defined, 57
 diagnosis, 16t-17t, 22-26, 28, 60-62, 198t-199t
 diet and, 63, 64t-65t
 duration, 23, 61, 124t, 198t
 in elderly, 163-165
 in emergency patients, 196, 197, 198t-199t, 200, 203-206
 family history of, 26, 60, 62, 124t, 147, 173
 frequency, 22, 124t
 treatment decisions and, 66, 68-69
 gender and, 17t, 60, 124t, 153, 157
 menopause and, 164
 menstrual migraine, 111, 171, 172
 treatment for, 175-178
 migraine equivalents, 62, 63, 160
 neurovascular etiology, 57, 58
 onset, age at, 22, 60, 124t

Migraine headaches (*continued*)

pain severity and character, 23, 57, 58, 61, 198t
parasympathetic influence in, 57
pathogenesis, 57-60, 58
pathophysiology, 66-67, 73
personality features of patients, 61
post-traumatic, 187, 188-189
postmenopausal, 171, 174
postpartum, 173
pregnancy and, 26, 171, 173
premenstrual, 172-173
prodromata/warning signs, 22-23, 62, 124t, 158
serotonin (5-HT) and, 66-67, 73, 125t
site of, 22-23, 57, 58, 124t, 198t
sleep pattern and, 25, 63
status migraine, 110-111, 196, 203
transformed migraine, 146-149
treatment for, 63-110. See also *specific medications*.
 abortive therapy, 66-98, 70t-72t
 in emergency patients, 203
 metoclopramide, 203
 algorithm/flow chart, 68-69
 biofeedback, 111-113, 112-113, 113t, 114t-115t
 in children, 158-159
 early intervention, 74, 77
 general measures, 63-66, 158
 pain-relief, 98-101, 203
 cold packs, 101
 ketorolac, 203
 prophylactic therapy, 101-110, 102t-103t
 trigeminal involvement in, 57-58, 59, 66, 73
 triggers, 17t, 25, 61
 in children, 157-158
 foods, 63, 64t-65t
 medications, 25, 27, 61, 165
 stress, 61, 66
 types of, 62-63, 107-108
 tyramine and, 63, 64t-65t, 105
 in women, 17t, 60, 111, 124t, 153, 157
Migraine-Specific Questionnaire (MSQ), 106
Migrainous neuralgia. See *Cluster headaches*.
Migranal. See *Dihydroergotamine (DHE, Migranal)*.
Minnesota Multiphasic Personality Inventory (MMPI), 162, 188, 192
Minoxidil, 27
Miosis, 125t, 190
Mirtazapine, 143, 144t
Mixed headache, 146-149
Monoamine oxidase inhibitors (MAOIs)
 for migraine prophylaxis, 109
 propranolol contraindication with, 103
 for tension-type headaches, 146
 tricyclic antidepressants combined with, 148-149
 tyramine-containing foods contraindicated with, 146, 149
Mood disorders, 164

Motor function evaluation, 29
Motrin (ibuprofen), 95, 141, 204t
Motrin Migraine, 99
MRA. See *Magnetic resonance angiography*.
MRI. See *Magnetic resonance imaging*.
MSQ. See *Migraine-Specific Questionnaire*.
Multiple sclerosis, 31
Muscle contraction. See *Tension-type headaches*.
Muscle-relaxation electromyographic (EMG) training, 112-113, 114t-115t
Muscle spasm, 36
Myalgias, 48, 149
Myofascial pain dysfunction syndrome, 189-190
Myositis, chronic, 14t

Nadolol (Corgard), 102t, 104
Nalfon. See *Fenoprofen calcium*.
Naloxone, 182
Naprelan (naproxen), 101t
Naprosyn (naproxen), 103t
Naproxen (Naprosyn, Naprelan), 103t, 108
Naproxen sodium (Aleve, Anaprox), 72t, 97, 98
 in emergency treatment, 204t
 for menstrual migraine, 111, 175
 sumatriptan in combination with, 68, 71t, 83-86
 for tension-type headache, 141
Naratriptan (Amerge), 70t, 86
 adverse events, 86, 87t
 chemical structure, 75
 clinical pharmacology, 76t
 efficacy, 81-82
 for menstrual migraine, 176, 177
 probability of remedication, 79
 response rate, 77t, 81-82
Narcotic analgesics, 99-100, 195
Nardil (phenelzine), 102t
Nasal congestion, 24, 121, 125t
National Headache Foundation (NHF), x
 neuroimaging guidelines, 29, 30t
National Institutes of Health, headache classification, 13
Nausea. See also *Antiemetics*.
 as brain abscess symptom, 41
 as cluster headache symptom, 124t
 hospitalization indications for, 124t
 as meningitis symptom, 43, 200
 as migraine symptom, 24, 62, 124t, 160
 in post-traumatic headaches, 190
 in tension-type headaches, 161, 167t
Neck
 examination, 28, 196
 injuries, 188, 190-191
 stiffness
 in low CSF-pressure headache, 44
 lumbar puncture and, 32
 as meningitis symptom, 28, 40, 43, 201

Neisseria meningitidis, 201
 Nephritis, 203
 Nerve blocks, 53
 Nervus intermedius, section of, 133
 Neuralgias, 14t, 15, 49-54
 atypical, 52-53
 ciliary. See *Cluster headaches*.
 glossopharyngeal, 52, 189
 occipital, post-traumatic, 187
 postinfectious/postherpetic, 53-54, 167
 trigeminal, 23, 28, 49-52
 in elderly, 167, 168
 post-traumatic, 189
 treatment of, 50-52, 51t-52t
 Vidian and Sluder's. See *Cluster headaches*.
 Neuroimaging, 29-32, 30t. See also *specific types of neuroimaging*, eg.
 CT scanning; *Magnetic resonance imaging (MRI)*.
 abnormalities, post-traumatic, 185
 for brain tumors, 31-32
 of children, for headache diagnosis, 156, 157
 of emergency patients, 197, 201
 guidelines/indications for, 29, 30t
 Neurologic abnormalities, 185, 200
 Neurologic examination, 29, 196
 Neuropeptides, 132, 147
 Neuropsychological testing abnormalities, 185
 Neurotransmitters, effects of antidepressants on, 144t-145t
 NHF (National Headache Foundation), x, 29, 30t
 Nifedipine (Procardia), 108
 Night sweating, 48
 Nimodipine (Nimotop)
 for cluster headaches, 132
 for migraines, 102t, 107
 Nimotop. See *Nimodipine*.
 Nitrates, 13, 27, 61
 Nitroglycerin, 25, 165
 Nonprescription analgesics. See *Over-the-counter analgesics*.
 Nonsteroidal anti-inflammatory agents (NSAIDs)
 for coexisting migraine and tension-type headaches, 149
 contraindications for, 179
 for migraines, 97
 as abortive therapy, 97
 in elderly, 165
 in emergency patients, 203
 menstrual, 175, 178
 for pain relief, 99
 as prophylactic therapy, 102t-103t, 108
 monitoring use of, 164-165
 for tension-type headaches, 141, 143
 Norepinephrine, effects of antidepressants on, 144t-145t
 Nortriptyline, 143, 144t
 Nortriptyline (Pamelor), 102t
 Nose
 diseases, headache and, 14t
 examination, 28, 196
 NSAIDs. See *Nonsteroidal anti-inflammatory agents*.
 Nuchal area, pain in, 49
 Nuchal rigidity, 30t, 155
 Obesity, 156-157
 Obstetric history, 26
 Occipital headache, 36, 42, 160
 Occipital neuralgia, post-traumatic, 187
 Occiput, pain in, 49
 Occlusive vascular disease, 14t
 Ocular motor paralysis, 48
 Oculosympathetic paresis, 191
 Ondansetron (Zofran), 96, 100, 111
 Onset of headaches, 16t, 22. See also *specific headache type*.
 recent onset, ix, 35, 47, 154, 155, 197, 201, 202
 Ophthalmic causes of headaches in children, 155
 Ophthalmoplegia, 48
 Ophthalmoplegic basilar artery headache, 14t, 159-160
 Ophthalmoplegic migraine, 62, 159
 Opiates, 146
 Optic nerve injuries, 191
 Oral contraceptives (OCs), 27, 61, 172, 175, 178, 181, 182
 Orbital cellulitis, 154
 Organic disease and associated headaches. See *Organic headaches*.
 Organic headaches, 35-56. See also *specific organic conditions*.
 characteristics and symptoms, 24, 36
 in children, 154-157
 classification, 35
 diagnosis, 19-34, 35-36
 ruling out in emergency treatment, 195, 202
 in elderly, 167-168
 in emergency patients, 195, 202
 frequency, 22
 onset, age at, 22, 35, 47, 167
 pain severity and character, 23, 36
 site of, 23
 sleep pattern, 36
 specific conditions
 arteriovenous malformations, 42-43
 brain abscess, 41-42
 cranial arteritis, 46-49
 hematomas, 37-39
 hydrocephalus, 45
 infections, 43-44
 intracranial pressure increases, 45-46
 low CSF-pressure headache, 44-45
 meningitis, 43-44
 neuralgias, 49-54
 subarachnoid hemorrhage, 39-40
 temporomandibular joint (TMJ) disorder, 14t, 15, 54-55
 tumor, 36-37
 treatment for, 35
 Orthopedic pillow, 192
 Orudis. See *Ketoprofen*.

Osteoarthritis, 14t, 165
Osteomyelitis, 42
Otitis, chronic, 157
Otogenic pneumocephalus, 191
Over-the-counter analgesics
 annual dollar amount spent on, ix
 excessive consumption of, 197
 for migraines, 99
 in pregnancy, 179
 for tension-type headaches, 15, 138, 141-143
Oxcarbazepine (Trileptal), 51, 51t, 102t, 107
Oxygen, as cluster headache therapy, 123, 131t, 166, 206

Pain. See also *specific types of headache*.
 area of headaches, diagnostic guide, 16t
 characteristics, diagnostic guide, 16t
 duration, 23
 severity and character, 23
 site of, 22-23
 “worst headache ever” perception, 30t, 40, 197, 198t
Pain-relief measures. See *Analgesics; specific headache types and medications*.

Pallor, 53, 62, 158
Palpitations, 167t
Pamelor (Nortriptyline), 102t
Papilledema, 46, 156, 157, 202
Paranoia, 173
Parasitic infection, 41
Parasympathetic outflow to head, 57
Parenchymal abscess, 41
Paresthesia
 as anticonvulsant side-effect, 107
 as naratriptan side-effect, 87t
 in tension-type headache patients, 167t
 as triptan side-effect, 84t, 87t, 88t, 93t
Paroxetine, 143, 145t
Paroxysmal headaches, 133, 134, 157
Paroxysmal vertigo, 160
Partial Horner’s syndrome, 17t, 24, 28, 121
Pediatric patients. See *Children*.
Percutaneous radiofrequency gangliorhizolysis, 133
Periactin (cyproheptadine), 103t, 110, 159, 160
Peripheral vascular disease, 164
Personality traits, 162, 188, 192
Petrosal nerve, greater superficial, resection of, 133
Phenelzine (Nardil), 102t
Phenelzine sulfate, 146
Phenergan (promethazine), 100
Phenobarbital, 130t
Phenothiazines, 98, 180, 203
Phenylephrine hydrochloride, 123
Phenytoin (Dilantin), 51, 51t
Phlebitis, 14t, 15
Phonophobia, as migraine symptom, 24, 57, 62, 158

Photophobia
 as meningitis symptom, 43, 201
 as migraine symptom, 24, 57, 62, 158
 post-traumatic headache symptom, 190
Photopsia, 62
Phrenilin (acetaminophen with butalbital), 139
Physical activity. See *Exertional headache*.
Physical examination/workup, 27-28, 196, 199t
Physical therapy, 192
Pituitary fossa lesions, 37
Pleocytosis, 42, 202
Pneumocephalus, 191
Poisons, 45
Polymyalgia rheumatica, 48
Polyuria, 125t
Ponstel (mefenamic acid), 111, 175
Post-traumatic headache, 185-194
 acute, chronic, and postconcussive, 186
 cluster headaches, 189
 complications of, 191
 criteria for, 185
 facial/jaw injury, 189-190
 incidence, origin, and presentation, 186-188
 migraine, 187, 188-189
 tension-type headaches, 187-188
 traumatic dysautonomic cephalalgia, 187, 190
 treatment for, 192
 workup, 191-192
Post-traumatic hydrocephalus, 191
Post-traumatic syndrome, 186
Postconcussive headache, 186
Posterior fossa disease, 30
Posterior fossa lesions, 32
Posterior fossa trigeminal sensory rhizotomy, 133
Posterior fossa tumors, 37
Postherpetic neuralgia, 53-54, 167
Postmenopausal hormones, 27, 61
Postmenopausal migraines, 171, 174
Postpartum headache, 173
Postpuncture (postspinal) headache, 32
Precipitating factors. See *Triggers of headache*.
Prednisone, 48-49, 129, 130t
Pregabalin (Lyrica), 149
Pregnancy, 173, 179-180
 biofeedback training, 179
 folic acid supplements, 105
 headaches in, 22, 26, 171, 173
 treatment, 179-180
 medication restrictions/contraindications, 95, 105, 106, 179
 pregnancy registries of drugs, 180
Premenstrual headaches, 172-173, 178-179
Premenstrual syndrome (PMS), 173
Pressor agents, 146
Pressor reactions, 203

Prevalence of headaches, ix. See also *Gender; specific headache type*.

Preventive therapy. See *Prophylactic therapy*.

Prinzmetal's angina, 80, 81

Procardia (nifedipine), 108

Prochlorperazine (Compazine), 71t, 97, 100
in emergency treatment, 204t

Prodromata, 22-23, 62, 124t, 158

Progesterone, 172, 181. See also *Oral contraceptives*.

Progestin, 182

Prolactin-release inhibitors, 179

Promethazine (Phenergan), 100

Prophylactic therapy. See also *specific medications*.
for cluster headaches, 128-133, 130t
for coexisting migraine and tension-type headaches, 148-149
for migraines, 101-110, 102t-103t
for post-traumatic headaches, 192
for tension-type headaches, 143-146

Propranolol (Inderal, Inderal LA), 102t, 103
in children, 159
combined with tricyclic antidepressants, 149
contraindicated with asthma, 159
during pregnancy, 180
for menstrual migraine, 178
for traumatic dysautonomic cephalalgia, 190

Prostaglandin inhibitors, 178

Prostaglandins, 172

Protriptyline (Vivactil), 102t, 143, 145t, 166

Pseudotumor cerebri, 156-157

Pseudotumor syndrome, 46

Psychic symptoms, 140, 168t

Psychological counseling
for neuralgia pain, 53, 54
for post-traumatic headaches, 192
with tension-type headaches, 146, 162

Psychological inventory, 191-192

Psychological testing, 162, 185, 192

Ptoxis, 28, 48, 125t, 190

Pulse
biofeedback control, 112
rapid, 28, 40

Pupillary dilation, 190

Radiofrequency gangliorhizolysis, 133

Radiofrequency rhizotomy, 51, 52t

Rash, as meningitis symptom, 43, 201

Rebound headaches, 80, 81, 148, 165

Recent-onset headaches, ix, 35, 47, 154, 155, 197, 201, 202

Refractive errors, 155

Reglan. See *Metoclopramide*.

Relaxation methods, 66, 112-113, 113t, 114t-115t

Relpax. See *Eletriptan*.

Renal function, evaluating, 197

Reserpine, 27, 61, 66

Resources for clinicians, x-xi

Retropharyngeal abscess, 44

Rhinitis, as neuralgia symptom, 53

Rhinorrhea, CSF, 121

Rhizotomy, 51, 52t, 133

Rizatriptan (Maxalt, Maxalt-MLT), 70t, 86-88
adverse events, 87, 88t
chemical structure, 75
clinical pharmacology, 76t
for menstrual migraine, 176
pregnancy registry, 180
probability of remedication, 79
response rate, 77t, 87-88

Role prevention/role restriction, 106

Romberg's test, 29

SAH. See *Subarachnoid hemorrhage (SAH)*.

Sansert (methysergide, methysergide maleate), 110, 128, 130t

Schizophrenia, post-traumatic, 188

School issues for children with headaches, 162-163

Scotomata, 62, 164

Seasonality of cluster headaches, 26, 122, 124t

Seat belts, 190

Sedative antidepressants, 143-146, 144t-145t, 166-167

Sedimentation rate, 33, 47, 154, 167-168, 197, 202

Seizures, 40, 42
as brain abscess symptom, 41
electroencephalogram, 33
organic headaches and, 24, 37, 38, 40, 156

Selegiline (Ensam), 102t

Senile dementia, misdiagnosis, 166

Sensory testing, 29

Serotonin (5-HT)
agonists, 67
effects of antidepressants on, 144t-145t
relationship with migraines, 66-67, 73, 125t

Serotonin (5-HT) receptor agonists, 95-96, 100, 141

Sertraline, 143, 145t, 178

Serum electrolytes, evaluating, 196

Severe global headache, 200

Severity of headaches, 23
cluster headaches, 23, 122, 124t, 134, 198t
migraine headaches, 23, 57, 61, 198t
organic headaches, 23, 36
tension-type headaches, 23, 137-138, 198t

Sex distribution of headache types, 17t

Sexual problems, 167t

Shortness of breath, 140

Shunt for excess intracranial pressure, 46

Shunt, ventricular, inappropriate, 45

Sinequan (doxepin), 102t

Sinus disease, 42

Sinus infection, 202

Sinus x-rays, 154, 202

Sinusitis, 26, 154-155, 201

Site of headache, 22-23. See also *specific headache type*.

Sixth-nerve palsy, 156, 157

Skull fracture, 200t

Skull x-ray abnormalities, 185

Sleep disturbance/sleep pattern
 antidepressant selection and, 143
 in cluster headache patients, 25
 diagnosis and, 25-26
 difficulty in falling asleep, 139, 167t
 in elderly, 167t
 post-traumatic, 189, 191
 in tension-type headache patients, 139, 140, 166

Smoking, 182

Sneezing, onset of pain with, 30, 30t

Soft tissue injury, 190

Somatic symptoms in elderly, 167t

Somnolence, 189

Space-occupying lesion, 35

Sphenoid bone fractures, 191

Sphenopalatine ganglion, ablation of, 133

Spinal anesthesia, 32

Spinal cord abnormalities, 32

Spondylosis, 188

Squint, 155

Stadol (transnasal butorphanol), 100

Status migraine, 110-111, 196, 203

Steroids, 157, 202. See also *Corticosteroids*.

Stiff neck. See *Neck, stiffness*.

Streptococcus pneumoniae, 201

Stress
 coping with, 66
 as headache trigger, 13, 17t, 25
 migraines, 61, 66
 tension-type headaches, 137, 139

Stroke, 32, 163, 200t

Subarachnoid hemorrhage (SAH), 30t, 39-40
 diagnostic features, 198t-199t
 in emergency patients, 197-200

Subdural hematomas as headache cause, 37-39
 in children, 156
 diagnosis, 31, 38
 in elderly, 163

Substance abuse, 160, 161

Substance P, 132, 147

Suicidal ideation, 140

Suicide, 122

Sumatriptan (Imitrex), 76t, 82-83
 adverse events, 83, 84t
 chemical structure, 75
 clinical pharmacology, 76t
 for cluster headaches, 123, 131t
 combination agent: sumatriptan/naproxen sodium, 68, 71t, 83-86
 contraindications, 83
 in emergency treatment, 204t, 205t

Sumatriptan (Imitrex) (*continued*)
 intranasal, 123, 131t
 for migraines, 70t, 82-83
 in children, 158-159
 in emergency patients, 203, 204t, 205t
 menstrual, 176
 probability of remedication, 79
 response rate, 77t, 82-83
 pregnancy registry, 180
 subcutaneous, 158-159, 203

Superior longitudinal sinus thrombosis, 44

Surgical history, 26

Surgical intervention
 aneurysms and, 40
 for cluster headaches, 133
 for organic headaches, 38, 51-52
 for subdural hematoma, 38
 for trigeminal neuralgia, 51-52, 52t

Sweating
 in cluster headaches, 121
 in neuralgias, 53
 night sweating, 48
 of palms, 28
 in post-traumatic headaches, 190

Symptoms of headache types, 16t-17t, 24. See also *specific headache type*.

Systemic illness, possibility of, 154

Systemic infection, 28

Taste perversion, 107

Teeth, 14t, 49

Tegretol (carbamazepine), 50, 51t

Teichopsia, 24, 62

Temperature, elevated. See *Fever*.

Temperature training biofeedback, 112, 113t

Temporal arteritis, 33, 46-49, 163, 167, 197
 blindness from, 48, 197, 202
 diagnostic features, 198t-199t

Temporal artery, prominent, 28

Temporomandibular joint, pain and stiffness in cranial arteritis, 48

Temporomandibular joint (TMJ) disorder, 14t, 15, 54-55
 jaw injury and, 189-190

Tenormin (atenolol), 102t, 104

Tension pneumocephalus, 191

Tension-type headaches, 14-15, 14t, 137-151
 anxiety and, 14t, 15, 137, 139-140
 associated symptoms, 187, 198t
 characteristics and symptoms, 16t-17t, 24, 137-141, 161
 in children, 161-162
 chronic, 14-15, 139-141
 classification, 14-15, 14t, 137-138
 coexisting migraine with, 146-149, 172-173
 depression and, 14t, 15, 26, 137, 140, 166-167
 diagnosis, 16t-17t, 19-34, 198t-199t
 duration, 23, 198t

Tension-type headaches (*continued*)
 in elderly, 166-167
 in emergency department patients, 195-196
 episodic, 14-15, 137-138
 frequency, 22, 138, 161
 headache history, 139-141, 147-148, 161
 onset, age at, 22, 138
 pain severity and character, 23, 137-138, 198t
 postpartum, 173
 post-traumatic, 187-188
 premenstrual, 172-173
 site of, 23, 138
 sleep pattern and, 25, 139, 140, 166
 subtypes, 14, 14t
 treatment for, 141-146
 algorithm/flow chart, 142
 analgesics, 15, 138-139, 141-143
 antidepressants, 143-146, 144t-145t, 148, 166-167
 biofeedback, 146
 botulinum toxin (Botox), 146
 cautions/contraindications, 141
 chronic headaches, 141-146, 142
 episodic headaches, 138-139, 141
 monoamine oxidase inhibitors (MAOIs), 146
 triggers, 17t
 in women, 138
 Testosterone, 178, 181
 Tetracycline, 45
 Tetracycline administration in infants, 45
 Thorazine (chlorpromazine), 71t, 98, 100, 204t, 205t
 Throat, 14t, 196
 Thromboembolism, 174
 Thrombosis, 32, 44
 Thunderclap headache, 200
 Thyrotoxicosis in migraine patients, 103
 Thyroxine, 33
 Tic douloureux (trigeminal neuralgia), 23, 28, 49-52
 Tigan (trimethobenzamide), 100
 Timolol (Blocadren), 102t, 103
 Tinnitus, 24, 62, 160
 TMJ. See *Temporomandibular joint (TMJ) disorder*.
 Tolectin (tolmetin sodium), 103t, 108
 Tolmetin sodium (Tolectin), 103t, 108
 Tonometry, 28
 Topamax (topiramate), 102t, 105-107
 Topiramate (Topamax), 102t, 105-107
 Toprol (metoprolol), 102t
 Toradol (ketorolac), 99, 203, 204t
 Toxic vascular headaches, 14, 14t
 Traction and inflammatory headaches, 14t, 15, 35-36.
 See also *Organic headaches*.
 Transcutaneous electric nerve stimulation (TENS), 192
 Transcutaneous electrical stimulation, 53
 Transformed migraine, 146-149

Trauma. See *Head trauma; Post-traumatic headache*.
 Traumatic dissection of extracranial carotid artery, 191
 Traumatic dysautonomic cephalalgia, 187, 190
 Travel as headache trigger, 158
 Trazodone, 145t, 146, 166
 Treatment of headache. See *specific headache type*.
 Treximet (sumatriptan/naproxen sodium), 71t, 83-86
 Tricyclic antidepressants
 for coexisting migraine and tension-type headaches, 148-149
 in combination
 with calcium channel blockers, 149
 with MAOIs, 148-149
 with propranolol, 149
 during pregnancy, 180
 for migraines, 100t, 109, 165
 for neuralgias, 54
 for tension-type headaches, 143
 Trigeminal ganglion, surgical procedures, 133
 Trigeminal nerve, involvement in migraines, 57-58, 59, 66, 73
 Trigeminal neuralgia, 23, 28, 49-52
 in elderly, 167, 168
 post-traumatic, 189
 treatment, pharmacologic, 50-51, 51t
 treatment, surgical, 51-52, 52t
 Trigger points/zones, 28, 49-50
 Triggers of headache, 17t, 24-25
 in children, 157-158
 cluster headaches, 17t
 hormone fluctuations, 171-174
 medications, 17t, 25, 27, 61
 migraine headaches, 17t, 63, 64t-65t
 tension-type headaches, 17t
 vascular headaches, 13
 Trileptal (oxcarbazepine), 51, 51t, 102t, 107
 Trimethobenzamide (Tigan), 100
 Trimipramine, 145t
 Triptans, 67-95, 70t-72t. See also *specific triptans*.
 action mechanism, 67-74
 administration and dosage, 70t-72
 adverse effects, 74, 80-81
 chemical structures, 75
 for children and adolescents, 158-159
 clinical pharmacology, 76t
 clinical studies of, 74-77, 77t
 in combination, 68, 71t, 83-86, 176
 contraindications, 80-81
 during pregnancy and nursing, 180
 half-life, 76t, 123, 181
 for menstrual migraine, 111, 176-177, 182
 patient selection/headache frequency and, 74, 80
 pregnancy registries for, 180
 probability of remedication, 77, 78-79, 78-80
 rebound phenomenon, 80, 81
 response rates, 74-77, 77t
 specific medications, 82-95

Tumors. See also *Brain tumors; Pseudotumor conditions*.
 headaches due to, 14t, 15, 36-37, 163
 neuroimaging for, 31-32
 prodromata, 24
 intracranial, subarachnoid hemorrhage from, 39
 Types of headache, comparative guides, 16t-17t, 198t-199t
 Typhoid fever, 44
 Tyramine
 avoidance advised with MAOIs, 146, 149
 migraines and, 63, 109
 tyramine-restricted diet, 63, 64t-65t

Ulcer, 166
 Upper respiratory infections, 154
 Urinalysis, 33
 Urinary frequency, 167t
 Urticaria, 28
 Uterine cancer, risk of, 181

Valsalva maneuver, 30t, 201
 Vascular abnormalities, diagnosing, 32
 Vascular disease, 14t
 Vascular headaches, 13-14, 14t. See also *Cluster headaches; Migraine headaches*
 Vascular lesions, 30
 Vascular malformations, 39
 Vascular spasm, 40
 Vasoactive substances in foods, 13, 25, 61, 63
 Vasodilators, 13, 163
 Vasomotor instability, 28
 Venlafaxine, 145t, 146
 Venous thrombosis, 32
 Ventricular shunt, inappropriate, 45
 Verapamil (Calan, Isoptin, Verelan)
 for cluster headaches, 130t, 132
 for migraines, 102t, 107
 Verelan. See *Verapamil*.
 Vertigo
 as migraine symptom, 62, 63, 160
 post-traumatic, 187
 Vestibular function test abnormalities, 185
 Vidian and Sluder's neuralgia. See *Cluster headaches*.
 Viral infection, 53
 Visual field testing, 157
 Visual hallucinations, 62
 Visual symptoms, 24
 in benign intracranial hypertension, 45, 46
 in children, 155
 in cluster headaches, 124t
 in cranial arteritis, 48
 in migraines, 62, 124t, 164
 in post-traumatic headache, 190, 191
 Vital signs, 28, 154
 Vitamin A intoxication, 45

Vivactil. See *Protriptyline*.
 Vomiting. See also *Antiemetics*.
 as BIH symptom, 46
 as brain abscess symptom, 41, 42
 as cluster headache symptom, 124t
 in emergency patients, 196
 as meningitis symptom, 43, 200
 as migraine symptom, 62, 124t, 160, 196
 in subarachnoid hemorrhages, 200
 in tension-type headache patients, 161

Weakness, in tension-type headache patients, 167t
 Weather, as headache trigger, 13, 25
 Weight loss
 as anticonvulsant side-effect, 105, 107
 in cranial arteritis, 48
 postpartum, 173
 in tension-type headache patients, 140, 167t
 Westergren's sedimentation rate, 33, 47, 167-168, 197, 202
 Whiplash, 190
 Women, benign intracranial hypertension incidence in, 46
 Women, headaches in, 17t, 171-184
 cluster headaches, 17t, 124t, 134
 hormone levels and, 171-174
 hormone replacement therapy (HRT), 174, 178, 181-182
 lactation, 174, 181
 menopause, 22, 164, 174, 181
 menstrual headaches, 111, 171-172, 175-178
 migraines and, 17t, 60, 111, 124t, 153, 157
 onset of headaches, diagnosis and, 22
 oral contraceptives (OCs), 27, 61, 172, 175, 181, 182
 pregnancy, 22, 26, 171, 173, 179-180
 premenstrual headaches, 172-173
 tension-type headaches, 17t, 137
 treatment of headaches, 175-182
 Workup for headache diagnosis, 27-33, 191-192
 "Worst headache ever," 30t, 40, 197, 198t

Xylocaine. See *Lidocaine, intranasal*.

Zofran (ondansetron), 96, 100, 111
 Zolmitriptan (Zomig, Zomig-ZMT), 71t, 89
 adverse events, 87t, 90t
 chemical structure, 75
 clinical pharmacology, 76t
 for menstrual migraine, 176
 pregnancy registry, 180
 probability of remediation, 80
 response rate, 77t, 89
 Zomig, Zomig-ZMT. See *Zolmitriptan*.
 Zygora, pain in, 49

